

# Purified human Factor IXa Facteur IXa humain purifié

Vial of 100 IU / flacon de 100 UI

Ref. EZ010B

STORE AT  
2-8°C

CONSERVER A  
2-8°C

Lot: 150707A

Expiration: 2019-07

## ANALYSIS CERTIFICATE / CERTIFICAT D'ANALYSE

| ANALYTICAL DATA/RESULTATS D'ANALYSE   |   | SPECIFICATIONS   |
|---|---|--|
| <b>1. Protein Content / Teneur protéique</b><br>(Lowry method / Méthode Lowry)                        |   |  |
|   | 110 µg/vial/flacon  | ≥ 100 µg/vial/flacon   |
| <b>2. SDS-PAGE (4-12 % acrylamide)</b>  |   |  |
|   | Factor IX zymogen: 1 major band of about / 1 bande principale d'environ :<br>55 000 daltons | FIX zymogen:<br>1 major band of about<br>1 bande principale d'≈.<br>55,000 daltons |
| <b>3. Chromogenic FIXa activity / Activité Chromogénique du FIXa (BIOPHEN Factor Ixa kit #221812)</b> |   |  |
|   | 90 IU/ml (UI/ml)  | ≥ 80 IU/ml (UI/ml)   |
| <b>4. Specific activity / Activité spécifique:</b>  |   |  |
|   | 0.82 IU/µg (UI/µg) (chromogenic on CS-11(32))   | ≥ 0.5 IU/µg (UI/µg)  |
| <b>5. Batch homogeneity / Homogénéité de lot:</b>   |   |  |
|   | N = 3      CV : 2.4 %   | N ≥ 3    CV ≤ 3%   |

### CONCLUSIONS

DATE : 08/09/2015     Passed/Conforme

Refused/Non-conforme

Quality Control Manager  
Responsable contrôle qualité

**NAME S.LECOURT**

