

Human Factor IX

Facteur IX humain

Vial of 0.1 mg/flacon de 0.1 mg

Ref. PP007A

STORE AT
2-8 °C

CONSERVER A
2-8 °C

Lot: 150727A

Expiration: 2019-07



ANALYSIS CERTIFICATE

ANALYTICAL DATA	SPECIFICATIONS
1. <u>Protein Content</u> (Lowry method) 120 µg/vial	≥ 90 µg/vial
2. <u>SDS-PAGE</u> (5 % acrylamide) 1 single band of about 55 000 daltons	1 major band of about 55,000 daltons
3. <u>Clotting activity</u> 192 Units/mg	≥ 160 units/mg

CERTIFICAT D'ANALYSE

RESULTATS D'ANALYSE	SPECIFICATIONS
1. <u>Teneur protéique</u> (Méthode Lowry) 120 µg/flacon	≥90 µg/flacon
2. <u>SDS-PAGE</u> (5 % acrylamide) 1 bande d'environ 55 000 daltons	1 bande principale ≈ 55 000 daltons
3. <u>Activité</u> 192 Unités/mg	≥ 160 unités/mg

DATE :11/08/2015

CONCLUSIONS : Passed/Conforme

Refused/Non-conforme

Quality Control Manager S.LECOURT
Responsable contrôle qualité