

Purified Human Fibrinogen, Plasminogen Free Fibrinogène humain purifié, sans Plasminogène

Vial of 5 mg(PP002A) /flacon de 5 mg (PP002A)

Set of 6x5 mg (PP002K) / Coffret de 6x5 mg (PP002K)

Ref. PP002A / PP002K

STORE AT
2-8 °C

CONSERVER A
2-8 °C

Lot: F1600825

Expiration: 2020-07-18

ANALYSIS CERTIFICATE

ANALYTICAL DATA	SPECIFICATIONS
1. <u>Protein Content</u> (Lowry method) 5.5 mg/vial	> 4.5mg/vial
2. <u>SDS-PAGE</u> (5 % acrylamide) 1 single band of about 340000 daltons	1 major band of about 340,000 daltons
3. <u>Clotting time</u> (5 NIH/mL Thrombin) 12.0 sec	< 15 sec
4. <u>Coagulability</u> 100 %	≥ 98%
5. <u>Clot lysis in presence of tPA</u> No lysis	No lysis

CERTIFICAT D'ANALYSE

RESULTATS D'ANALYSE	SPECIFICATIONS
1. <u>Ieneur protéique</u> (Méthode Lowry) 5.5 mg/flacon	> 4.5 mg/flacon
2. <u>SDS-PAGE</u> (5 % acrylamide) 1 bande d'environ 340000 daltons	1 bande principale ≈ 340 000 daltons
3. <u>Temps de coagulation</u> (Thrombine 5 NIH/mL) 12.0 sec	< 15 sec
4. <u>Coagulabilité</u> 100 %	≥ 98%
5. <u>Lyse de caillot en présence de tPA</u> No lysis	Pas de lyse

DATE : 29/08/2016

CONCLUSIONS : Passed/Conforme

Refused/Non-conforme

Quality Control Manager

Responsable contrôle qualité S.LECOURT

