

Purified Human Fibrinogen

Fibrinogène humain purifié

Vial of 5 mg/flacon de 5 mg

STORE AT
2-8°C

Lot : F1601246

CONSERVER A
2-8°C

Ref. PP001A

Expiration : 2020-11-02

ANALYSIS CERTIFICATE

ANALYTICAL DATA	SPECIFICATIONS
1. <u>Protein Content</u> (Lowry method) 4.3 mg/vial *	> 4.5 mg/vial
2. <u>SDS-PAGE</u> (5 % acrylamide) 1 single band of about 340000 daltons	1 major band of about 340,000 daltons
3. <u>Clotting time</u> (5 NIH/mL Thrombin) 10.1 sec	< 15 sec
4. <u>Coagulability</u> 99 %	≥ 98%

CERTIFICAT D'ANALYSE

RESULTATS D'ANALYSE	SPECIFICATIONS
1. <u>Teneur protéique</u> (Méthode Lowry) 4.3 mg/flacon *	> 4.5 mg/flacon
2. <u>SDS-PAGE</u> (5 % acrylamide) 1 bande d'environ 340000 daltons	1 bande principale ≈ 340 000 daltons
3. <u>Temps de coagulation</u> (Thrombine 5 NIH/mL) 10.1 sec	< 15 sec
4. <u>Coagulabilité</u> 99 %	≥ 98%

DATE : 2016-13-12

CONCLUSIONS : Passed/Conforme

Refused/Non-conforme

Quality Control Manager S.LECOURT
Responsable contrôle qualité

*Accepted under waiver (NCI 1504)

