

# Human platelet factor 4 (PF4) Facteur plaquettaire 4 humain (PF4)

Vial of 100 µg/flacon de 100 µg

STORE AT  
2-8 °C

CONSERVER A  
2-8 °C

Ref. PP003A

Lot: F1601251

Expiration: 2020-11-14

## ANALYSIS CERTIFICATE

## CERTIFICAT D'ANALYSE

| ANALYTICAL DATA   | SPECIFICATIONS                   |
|---|----------------------------------|
| 1. Protein Content (Elisa method)<br>113 µg/vial  | > 80 µg/vial                     |
| 2. SDS-PAGE (12 % acrylamide)<br>1 single band about 8000 daltons                             | 1 major band about 8,000 daltons |
| 3. Anti-heparin activity (Thrombin Time)<br>Heparin neutralisation capacity<br>Until 50 IU/mg | >12.5 IU/mg                      |

| RESULTATS D'ANALYSE   | SPECIFICATIONS                        |
|---|---------------------------------------|
| 1. Teneur protéique (Méthode Elisa)<br>113 µg/flacon  | > 80 µg/flacon                        |
| 2. SDS-PAGE (12 % acrylamide)<br>1 bande d'environ 8000 daltons   | 1 bande principale<br>≈ 8 000 daltons |
| 3. Activité anti-héparine ( Temps de Thrombine)<br>Capacité de neutralisation de l'héparine<br>Jusqu'à 50 UI/mg | >12.5 UI/mg.                          |

DATE : 2017-03-08

CONCLUSIONS :  Pass/Conforme

Refused/Non-conforme

Quality Control Manager  
Responsable contrôle qualité S.LECOURT