

Data sheet Polyclonal antibody to mouse tumor necrosis factor alpha (TNF- α) Biotin-labeled

Cat. No.:	CT332
Isotype:	Rabbit Ig
Antigen:	For immunization recombinant mouse TNF- α (<i>E.coli</i> -derived) is used.
Purification:	Antibodies were sequentially purified by ammonium sulphate precipitation and protein A-affinity chromatography.
Labeling:	With Biotin-7-NHS (N-hydroxysuccinimide).
Packaging:	Lyophilized and vacuum-packed.
Contents:	0.5 mg/vial
Buffer:	Prior to lyophilization: 0.5 ml PBS + 125 mM trehalose.
Specificity:	Binds with high affinity to and neutralizes both natural and recombinant mouse TNF- α . High degree of cross-reactivity with rat TNF- α .
Activity:	$\geq 10^5$ neutralizing units/mg protein.
Neutralizing unit:	The neutralizing capacity was determined in a cytotoxic bioassay (Morgan <i>et al.</i> 1991. J. Immunol. Meth. 145: 259) assuming that one unit of mouse TNF- α bioactivity corresponds with 50 pg of mouse TNF- α protein.
Sterility:	Membrane filtered (0.2 μ m).
Reconstitution:	Dissolve the contents of the vial by injection of 0.5 ml sterile distilled water.
Stability:	Lyophilized product is stable for at least one year at 4°C (expiry date is indicated on the vial). After reconstitution, the contents can be safely stored at 4°C for one month or for one year at -20°C. Add 0.02% sodiumazide to prevent bacterial growth.
Quantitation:	Antibody concentration was determined by absorbance, taking A280=1.4 for a 1 mg/ml solution.
Application:	Detection antibody in ELISA and ELISPOT systems <i>In vitro</i> neutralization

